

| Publications scientifiques | | | | |
|-----------------------------------|--|--|-------------|---|
| N° | Authors | Title | Year | ArticleURL |
| 1 | LA Mpoung, JC Bidoung, JVS Metekong, JRL Meva'a | A coupled thermo-mechanical damage model for fired clay bricks based on the unified strength theory | 2021 | https://www.sciencedirect.com/science/article/pii/S2405844021001158 |
| 2 | ..., AA Victoire, NNA Giresse, CR Nangah... | Adsorption of Tartrazine onto Activated Carbon Based Cola Nuts Shells: Equilibrium, Kinetics, and Thermodynamics Studies | 2021 | https://www.scirp.org/html/1-1310204_106719.htm |
| 3 | CR Kaze, A Adesina, GL Lecomte-Nana... | Alkali-activated laterite binders: Influence of silica modulus on setting time, Rheological behaviour and strength development | 2021 | https://www.sciencedirect.com/science/article/pii/S266679082100135X |
| 4 | EP Ze, T Tchotang, W Nzié, N Billong... | Analytical Determination of Mechanical Characteristics of Bio-Composites with Reinforcement of Fibers and Particles of Cameroonian's Plants | 2021 | https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3906489 |
| 5 | LL Duna, NN Aubin, FF Fombutu... | Assessing Land Use/Land Cover Changes Using GIS and Remotely Sensed Techniques (RST): A Case Study of the Etoa Clay Quarry Yaounde, Cameroon | 2021 | http://article.ijoema.org/pdf/10.11648.j.ijema.20210902.13.pdf |
| 6 | CR Kaze, PN Lemougna, T Alomayri, H Assaedi... | Characterization and performance evaluation of laterite based geopolymer binder cured at different temperatures | 2021 | https://www.sciencedirect.com/science/article/pii/S0950061820334474 |
| 7 | E Yaboki, JP Temga, AB Madi... | Characterization of lithomorphic Vertisols from Kaélé (Northern Cameroon) and their valorization in bricks production | 2021 | http://www.jmaterenvironsci.com/Document/vol12/vol12_N2/JMES-2021-12029-Yaboki.pdf |
| 8 | AN Nzeugang, D Tsozué, BK Pagna, AB Madi... | Clayey soils from Boulgou (North Cameroon): geotechnical, mineralogical, chemical characteristics and properties of their fired products | 2021 | https://link.springer.com/article/10.1007/s42452-021-04541-4 |
| 9 | JNY Djobo, D Stephan | Control of the setting reaction and strength development of slag-blended volcanic ash-based phosphate geopolymer with the addition of boric acid | 2021 | https://link.springer.com/article/10.1007/s41779-021-00610-4 |
| 10 | JGN Deutou, RC Kaze, E Kamseu, VM Sglavo | Controlling the Thermal Stability of Kyanite-Based Refractory Geopolymers | 2021 | https://www.mdpi.com/1128632 |
| 11 | LA Mpoung, JC Bidoung, JVS Metekong, BY Suila... | Data on the estimation of thermomechanical damage for fired clay bricks | 2021 | https://www.sciencedirect.com/science/article/pii/S235234092100281X |
| 12 | ES Nouemsi, ZNM Ngouloure, JC Bidoung... | Dependence of the insulating behavior of some common woods to the pore network and packing density of their fibers: a microstructural approach | 2021 | https://link.springer.com/article/10.1007/s11242-021-01610-5 |
| 13 | CR Kaze, S Tome, GL Lecomte-Nana, A Adesina... | Development of alkali-activated composites from calcined iron-rich laterite soil | 2021 | https://www.sciencedirect.com/science/article/pii/S2589152921000351 |

| | | | | |
|----|--|--|------|---|
| 14 | P Venyite, EC Makone, RC Kaze, A Nana... | Effect of Combined Metakaolin and Basalt Powder Additions to Laterite-Based Geopolymers Activated by Rice Husk Ash (RHA)/NaOH Solution | 2021 | https://link.springer.com/article/10.1007/s12633-021-00950-7 |
| 15 | JNN Fekoua, CR Kaze, LL Duna, A Ghazouni... | Effects of curing cycles on developing strength and microstructure of goethite-rich aluminosilicate (corroded laterite) based geopolymer composites | 2021 | https://www.sciencedirect.com/science/article/pii/S0254058421006477 |
| 16 | LL Duna, NNG Audrey, AB Tchamba, N Billong... | Engineering and Mineralogical Properties of Portland Cement Used for Building and Road Construction in Cameroon | 2021 | https://link.springer.com/article/10.1007/s42947-021-00055-9 |
| 17 | TT Mbakop, JGN Deutou, L Boubakar, N Billong... | Enhancing the crystallization phenomena and strength of porcelain stoneware: The role of CaO | 2021 | https://link.springer.com/article/10.1007/s10973-020-09323-5 |
| 18 | JVS Metekong, CR Kaze, JG Deutou, P Venyite... | Evaluation of performances of volcanic-ash-laterite based blended geopolymer concretes: mechanical properties and durability | 2021 | https://www.sciencedirect.com/science/article/pii/S2352710220335671 |
| 19 | CB Fokam, E Toumi, B Kenmeugne, NC Wiryikfu... | Experimental study of the addition of oil palm mesocarp fiber on the physical and mechanical properties of fiber cement mortar composites | 2021 | https://link.springer.com/article/10.1007/s42452-020-04037-7 |
| 20 | HK Tchakouté, CN Bewa, D Fotio, CM Dieuhou... | Influence of alumina on the compressive strengths and microstructural properties of the acid-based geopolymers from calcined indurated laterite and metakaolin | 2021 | https://www.sciencedirect.com/science/article/pii/S0169131721001721 |
| 21 | AB Tchamba, G Elambo Nkeng, NC Randy... | Influence of lithium carbonate and superplasticizer as admixtures on low calcium dialuminate cement castable submitted to thermal shock | 2021 | https://www.tandfonline.com/doi/abs/10.1080/21870764.2021.1873481 |
| 22 | ..., DLV Ngnintedem, F Andreola, E Kamseu... | Influence of the synthetic calcium aluminate hydrate and the mixture of calcium aluminate and silicate hydrates on the compressive strengths and the microstructure of ... | 2021 | https://www.sciencedirect.com/science/article/pii/S025405842100242X |
| 23 | ..., JNY Djobo, PN Lemougna, T Alomayri, E Kamseu... | Influence of Thermal Activation and Silica Modulus on the Properties of Clayey-Lateritic Based Geopolymer Binders Cured at Room Temperature | 2021 | https://www.researchsquare.com/article/rs-795043/latest.pdf |
| 24 | MM Imar, Z Ntieche, EP Ze, JC Bidoung... | Influence of water content on physical characteristics of fired bricks during a semi-industrial production process | 2021 | https://link.springer.com/article/10.1007/s41024-021-00118-1 |
| 25 | A Nana, RC Kaze, TS Alomayri, HS Assaedi... | Innovative porous ceramic matrices from inorganic polymer composites (IPCs): microstructure and mechanical properties | 2021 | https://www.sciencedirect.com/science/article/pii/S0950061820340368 |
| 26 | BT Sendja, NAM Castillo, RL Portales... | Iron adsorption in Cameroon volcanic ashes insights from x-ray absorption spectroscopy | 2021 | https://www.sciencedirect.com/science/article/pii/S092145262100315X |

| | | | | |
|----|--|--|------|---|
| 27 | E Kamseu, R Rosa, D Sanna, A Mariani, C Leonelli | Marble Wastes Recycling: Design and Synthesis of Low-Temperature Calcium Silicate Hydrate Under Various CaO:SiO ₂ Ratio and Alkalinity | 2021 | https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3873673 |
| 28 | CR Kaze, GL Lecomte-Nana, E Kamseu... | Mechanical and physical properties of inorganic polymer cement made of iron-rich laterite and lateritic clay: a comparative study | 2021 | https://www.sciencedirect.com/science/article/pii/S0008884620316008 |
| 29 | A Nana, S Tomé, SCD Anensong, P Venyite... | Mechanical Performance, Phase Evolution and Microstructure of Natural Feldspathic Solid Solutions Consolidated Via Alkali Activation: Effect of NaOH Concentration | 2021 | https://link.springer.com/article/10.1007/s12633-021-01193-2 |
| 30 | A Nana, N Epey, KC Rodrique, JGN Deutou... | Mechanical strength and microstructure of metakaolin/volcanic ash-based geopolymer composites reinforced with reactive silica from rice husk ash (RHA) | 2021 | https://www.sciencedirect.com/science/article/pii/S2589152921000867 |
| 31 | MS Tchouatcha, CS Kemteu, CO Mbesse... | Mechanisms of sedimentation in lacustrine environment of Babouri-Figuil and Mayo Oulo-Lere basins deposits (North Cameroon) during the Southern Atlantic ... | 2021 | https://link.springer.com/article/10.1007/s12517-021-06763-7 |
| 32 | BP Kagonbé, D Tsozué, AN Nzeukou... | Mineralogical, Geochemical and Physico-Chemical Characterization of Clay Raw Materials from Three Clay Deposits in Northern Cameroon | 2021 | https://www.scirp.org/journal/paperinformation.aspx?paperid=109954 |
| 33 | BP Kagonbé, D Tsozué, AN Nzeukou, S Ngos III | Mineralogical, physico-chemical and ceramic properties of clay materials from Sekandé and Gashiga (North, Cameroon) and their suitability in earthenware ... | 2021 | https://www.sciencedirect.com/science/article/pii/S2405844021017114 |
| 34 | V Alzari, E Kamseu, C Leonelli, A Spinella, G Malucelli... | Organic-inorganic materials through first simultaneous frontal polymerization and frontal geopolymerization | 2021 | https://www.sciencedirect.com/science/article/pii/S0167577X21005048 |
| 35 | A Nana, E Kamseu, AT Akono, J Ngouné... | Particles size and distribution on the improvement of the mechanical performance of high strength solid solution based inorganic polymer composites: A ... | 2021 | https://www.sciencedirect.com/science/article/pii/S0254058421003850 |
| 36 | JGD Nemaleu, RC Kaze, S Tome, T Alomayri... | Powdered banana peel in calcined halloysite replacement on the setting times and engineering properties on the geopolymer binders | 2021 | https://www.sciencedirect.com/science/article/pii/S0950061821002403 |
| 37 | A Adediran, PN Lemougna, J Yliniemi, ... | Recycling glass wool as a fluxing agent in the production of clay-and waste-based ceramics | 2021 | https://www.sciencedirect.com/science/article/pii/S095965262035719X |
| 38 | ..., C Tizaoui, U Fannang, PN Lemougna, ... | Removal of lead ions from aqueous solution using phosphate-based geopolymer cement composite | 2021 | https://onlinelibrary.wiley.com/doi/abs/10.1002/jctb.6657 |

| | | | | |
|----|---|---|------|---|
| 39 | S Tome, A Nana, CR Kaze, JNY Djobo, T Alomayri... | Resistance of Alkali-Activated Blended Volcanic Ash-MSWI-FA Mortar in Sulphuric Acid and Artificial Seawater | 2021 | https://www.researchgate.net/profile/Tome-Sylvain/publication/350167856_Resistance_of_Alkali-Activated_Blended_Volcanic_Ash-MSWI-FA_Mortar_in_Sulphuric_Acid_and_Artificial_Seawater/links/60544ca4458515e83455c504/Resistance-of-Alkali-Activated-Blended-Volcanic-Ash-MSWI-FA-Mortar-in-Sulphuric-Acid-and-Artificial-Seawater.pdf |
| 40 | TKR Aurelie, S Tome, C Judicaël, E Idriss... | Stabilization of Compressed Earth Blocks (CEB) by Pozzolana Based Phosphate Geopolymer: Physico-Mechanical, Structural and Microstructural Investigations | 2021 | https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3855724 |
| 41 | S Tome, CN Bewa, A Nana, JGD Nemaleu, MA Etoh... | Structural and Physico-mechanical Investigations of Mine Tailing-Calcined Kaolinite Based Phosphate Geopolymer Binder | 2021 | https://www.researchgate.net/profile/Jacques-Etame/publication/351357673_Structural_and_Physico-mechanical_Investigations_of_Mine_Tailing-Calcined_Kaolinite_Based_Phosphate_Geopolymer_Binder/links/6093e99f92851c490fbc8826/Structural-and-Physico-mechanical-Investigations-of-Mine-Tailing-Calcined-Kaolinite-Based-Phosphate-Geopolymer-Binder.pdf |
| 42 | ..., A Adesina, T Alomayri, M Stuer, E Kamseu | Synthesis and characterization of eco-friendly mortars made with RHA-NaOH activated fly ash as binder at room temperature | 2021 | https://www.sciencedirect.com/science/article/pii/S2772397621000101 |
| 43 | PN Lemougna, J Yliniemi, A Adediran... | Synthesis and characterization of porous ceramics from spodumene tailings and waste glass wool | 2021 | https://www.sciencedirect.com/science/article/pii/S0272884221026316 |
| 44 | LMB à Mougam, PN Lemougna, RC Kaze... | Synthesis of Volcanic Ash-based Porous Inorganic Polymers Using Biomass as Pore Inducing Agent: Phase Evolution and Descriptive Microstructure | 2021 | https://link.springer.com/article/10.1007/s12633-021-01004-8 |
| 45 | NC Wiryikfu, CB Fokam, B Kenmeugne... | The influence of burnt clay brick waste addition on recycled brick | 2021 | https://link.springer.com/article/10.1007/s42947-020-1141-6 |
| 46 | CR Kaze, A Nana, GL Lecomte-Nana... | Thermal behaviour and microstructural evolution of metakaolin and meta-halloysite-based geopolymer binders: a comparative study | 2021 | https://link.springer.com/article/10.1007/s10973-021-10555-2 |
| 47 | N Billong, J Oti, J Kinuthia | Using silica fume based activator in sustainable geopolymer binder for building application | 2021 | https://www.sciencedirect.com/science/article/pii/S0950061820341805 |
| 48 | CN Bewa, HK Tchakouté, C Banenzoué, L Cakanou... | Acid-based geopolymers using waste fired brick and different metakaolins as raw materials | 2020 | https://www.sciencedirect.com/science/article/pii/S0169131720303781 |
| 49 | ..., GL Lecomte-Nana, M Duttine, E Kamseu... | Alternative geomaterials using laterites: reactivity and properties of use | 2020 | https://hal.archives-ouvertes.fr/hal-02506910/ |

| | | | | |
|----|---|--|------|---|
| 50 | N Billong, L Boubakar, BN Bayiha... | An investigation on the suitability of hydrated building lime from travertine limestone outcrop of Bogongo, South West of Cameroon | 2020 | https://www.sciencedirect.com/science/article/pii/S2214509520300413 |
| 51 | K Elie, A Valeria, N Danielle, S Davide... | Dependence of the geopolymerization process and end-products to the nature of solid precursors: Challenge of the sustainability | 2020 | https://www.sciencedirect.com/science/article/pii/S0959652620336325 |
| 52 | ..., JM Kinuthia, BO Adeleke, N Billong | Durability of Concrete Containing PFA-GGBS By-products | 2020 | http://www.xpublication.com/index.php/jcec/article/view/446 |
| 53 | M Youmoue, RTT Fongang, A Gharzouni, RC Kaze... | Effect of silica and lignocellulosic additives on the formation and the distribution of meso and macropores in foam metakaolin-based geopolymer filters for ... | 2020 | https://link.springer.com/article/10.1007/s42452-020-2388-x |
| 54 | PN Lemougna, A Nzeukou, B Aziwo... | Effect of slag on the improvement of setting time and compressive strength of low reactive volcanic ash geopolymers synthesized at room temperature | 2020 | https://www.sciencedirect.com/science/article/pii/S0254058419308739 |
| 55 | ZE Parfait, T Théodore, SJ Loic, NC Wiryikfu... | Elaboration and Characterization of a Fiber Composite Material Made of Petioles of the <i>Elaeis guineensis</i> (Oil Palm) | 2020 | https://www.scirp.org/html/3-1810336_102253.htm |
| 56 | ZE Parfait, NP Marcel, NE Didine... | Elaboration and characterization of composite materials reinforced by papaya trunk fibers (<i>carica papaya</i>) and particles of the hulls of the kernels of the winged ... | 2020 | https://www.researchgate.net/profile/Noah-Anicet/publication/343419488_Elaboration_and_Characterization_of_Composite_Materials_Reinforced_by_Papaya_Trunk_Fibers_Carica_papaya_and_Particles_of_the_Hulls_of_the_Kernels_of_the_Winged_Fruits_Canarium_schweinfurthii_with_Poly/links/5f2bb8ada6fdccc43ac8c8c/Elaboration-and-Characterization-of-Composite-Materials-Reinforced-by-Papaya-Trunk-Fibers-Carica-papaya-and-Particles-of-the-Hulls-of-the-Kernels-of-the-Winged-Fruits-Canarium-schweinfurthii-with.pdf |
| 57 | P Kamgang-Syapnjeu, D Njoya, E Kamseu... | Elaboration of a new ceramic membrane support from Cameroonian clays, coconut husks and eggshells: Application for <i>Escherichia coli</i> bacteria retention | 2020 | https://www.sciencedirect.com/science/article/pii/S0169131720304014 |
| 58 | T Theodore, C Mozer, P Joseph, J Njie, N Clins... | Extraction and Characterization of Bagasse Fibres from Sugar Cane (<i>Saccharum officinarum</i>) for Incorporation into a Mortar | 2020 | https://www.scirp.org/journal/paperinformation.aspx?paperid=102080 |
| 59 | E Kamseu, CR Kaze, JNN Fekoua, UC Melo... | Ferrisilicates formation during the geopolymerization of natural Fe-rich aluminosilicate precursors | 2020 | https://www.sciencedirect.com/science/article/pii/S0254058419308582 |
| 60 | KI Njoyim, L Kengni, MA Tita... | Hydrogeochemistry of Surface and Ground Water in Alatening Village, Northwest Region, Cameroon | 2020 | https://www.hindawi.com/journals/aess/2020/8347095/ |

| | | | | |
|----|--|---|------|---|
| 61 | P Joseph, S Joseph, C Mozer, T Theodore... | Improvement of the Thermal Properties of Cement Mortars by Adding Banana Pseudo-Trunkfibres | 2020 | https://www.scirp.org/html/1-1881396_101682.htm |
| 62 | AB Tchamba, JST Ntchayi, JGN Deutou... | Influence of metakaolin from Mayouom, Cameroon, on the properties of high grade calcined bauxite sintered at 1500 C | 2020 | https://link.springer.com/content/pdf/10.1007/s41779-020-00484-y.pdf |
| 63 | Y Djepaze II, BK Pagna, AB Madi, E Kamseu... | Influence Of The Fineness Modulus Of Sand On The Compressive Strength Of Its Corresponding Mortar: A Mathematical Model Proposal | 2020 | http://www.scitechpub.org/wp-content/uploads/2020/07/SCITECHP420088..pdf |
| 64 | JGD Nemaleu, VB Djaoyang, A Bilkissou, CR Kaze... | Investigation of Groundnut Shell Powder on Development of Lightweight Metakaolin Based Geopolymer Composite: Mechanical and Microstructural Properties | 2020 | https://link.springer.com/article/10.1007/s12633-020-00829-z |
| 65 | AG Mimboe, MT Abo, JNY Djobo, S Tome... | Lateritic soil based-compressed earth bricks stabilized with phosphate binder | 2020 | https://www.sciencedirect.com/science/article/pii/S235271021931770X |
| 66 | ..., M Youssoufa, PT Kapen, SC Tchounang | Low-cost mobile dental unit for oral care service delivery in third world countries: from concept to operation | 2020 | https://link.springer.com/article/10.1007/s12553-020-00477-8 |
| 67 | AB Tchamba, M Mbessa... | Mechanical and microstructural properties of cameroonian bauxite ceramics for ballistic applications | 2020 | https://ceramics.onlinelibrary.wiley.com/doi/abs/10.1111/ijac.13383 |
| 68 | TL Yannick, MNL Leroy, KSL Van Essa, TA Bruno... | Mechanical and microstructural properties of Cameroonian CPJ NC CEM II/BP 42.5 R cement substitution by glass powder in the cement paste and mortar | 2020 | https://link.springer.com/article/10.1007/s42452-020-3152-y |
| 69 | H Mohamed, JGN Deutou, CR Kaze... | Mechanical and microstructural properties of geopolymer mortars from meta-halloysite: effect of titanium dioxide TiO ₂ (anatase and rutile) content | 2020 | https://link.springer.com/article/10.1007/s42452-020-03396-5 |
| 70 | A Nana, TS Alomayri, P Venyite, RC Kaze, HS Assaedi... | Mechanical Properties and Microstructure of a Metakaolin-Based Inorganic Polymer Mortar Reinforced with Quartz Sand | 2020 | https://link.springer.com/article/10.1007/s12633-020-00816-4 |
| 71 | CR Kaze, P Venyite, A Nana, DN Juvenal... | Meta-halloysite to improve compactness in iron-rich laterite-based alkali activated materials | 2020 | https://www.sciencedirect.com/science/article/pii/S0254058419310831 |
| 72 | HK Tchakouté, SJK Melele, AT Djamen, CR Kaze... | Microstructural and mechanical properties of poly (sialate-siloxo) networks obtained using metakaolins from kaolin and halloysite as aluminosilicate sources: A ... | 2020 | https://www.sciencedirect.com/science/article/pii/S0169131720300132 |
| 73 | ES Nouemsi, RTT Fongang, E Kamseu... | Microstructure and physico-chemical transformation of some common woods from Cameroon during drying | 2020 | https://link.springer.com/article/10.1007/s10973-020-09890-7 |

| | | | | |
|----|--|--|------|---|
| 74 | SST Tedonkenfack, J Tamen, DG Nkouathio, BT Aziwo... | Original Paper Mantle Xenoliths from Ibal-Oku (Oku massif, North-west Region, Cameroon): Imprints of Superimposed Carbonatitic and Silicic Metasomatisms | 2020 | https://www.researchgate.net/profile/D-Nkouathio/publication/346528059_Original_Paper_Mantle_Xenoliths_from_Ibal-Oku_Oku_massif_North-west_Region_Cameroon_Imprints_of_Superimposed_Carbonatitic_and_Silicic_Metasomatisms/links/5fc63c824585152e9be8d522/Original-Paper-Mantle-Xenoliths-from-Ibal-Oku-Oku-massif-North-west-Region-Cameroon-Imprints-of-Superimposed-Carbonatitic-and-Silicic-Metasomatisms.pdf |
| 75 | JNY Djobo, A Elimbi, D Stephan | Phase and dimensional stability of volcanic ash-based phosphate inorganic polymers at elevated temperatures | 2020 | https://link.springer.com/article/10.1007/s42452-020-2616-4 |
| 76 | E Tiffo, JBB Mbah, PDB Belibi, JNY Djobo... | Physical and mechanical properties of unheated and heated kaolin based-geopolymers with partial replacement of aluminium hydroxide | 2020 | https://www.sciencedirect.com/science/article/pii/S0254058419309216 |
| 77 | BP Kagonbé | Physical Characterization and Optimization of Fineness Moduli of Natural Sand from The North Region of Cameroon Used in Construction | 2020 | https://dergipark.org.tr/en/pub/jsomt/article/813420 |
| 78 | NM Soualiou, EMA Dodo, OAE Yannick... | Potential of Some Granites from Fouban (West Region of Cameroon) as Fluxing Materials for Ceramics | 2020 | https://www.scirp.org/journal/paperinformation.aspx?paperid=102029 |
| 79 | ..., C Henning Rüscher, E Kamseu... | Preparation of low-cost nano and microcomposites from chicken eggshell, nano-silica and rice husk ash and their utilisations as additives for producing geopolymer ... | 2020 | https://www.tandfonline.com/doi/abs/10.1080/21870764.2020.1718860 |
| 80 | HK Tchakouté, CN Bewa, NA Kesseng... | Production of porous poly (phospho-siloxo) networks for thermal insulations using low-value calcium-rich wastes as pore-forming agents | 2020 | https://link.springer.com/article/10.1007/s12649-019-00846-z |
| 81 | CR Kaze, T Alomayri, A Hasan, S Tome... | Reaction kinetics and rheological behaviour of meta-halloysite based geopolymer cured at room temperature: effect of thermal activation on physicochemical and ... | 2020 | https://www.sciencedirect.com/science/article/pii/S0169131720303380 |
| 82 | AB Tchamba, M Mbessa... | Reactivity of calcium dialuminate (CaAl ₄ O ₇) refractory cement with lithium carbonate (Li ₂ CO ₃) admixture | 2020 | https://www.tandfonline.com/doi/abs/10.1080/21870764.2020.1724246 |
| 83 | PN Lemougna, J Yliniemi, E Adesanya, ... | Reuse of copper slag in high-strength building ceramics containing spodumene tailings as fluxing agent | 2020 | https://www.sciencedirect.com/science/article/pii/S0892687520302685 |

| | | | | |
|----|---|--|------|---|
| 84 | JNG Deutou, N Zounedou, RC Kaze, H Mohamed... | Semi-vitrified porous kyanite mullite ceramics: Young modulus, microstructure and pore size evolution | 2020 | https://link.springer.com/article/10.1007/s42452-019-1902-5 |
| 85 | JNY Djobo, D Stephan, A Elimbi | Setting and hardening behavior of volcanic ash phosphate cement | 2020 | https://www.sciencedirect.com/science/article/pii/S2352710220307221 |
| 86 | S Kumar, JNY Djobo, A Kumar... | Size fractionation of brown fly ash: utilisation of grey fraction as a pozzolanic material in blended cement | 2020 | https://www.tandfonline.com/doi/abs/10.1080/19648189.2018.1427635 |
| 87 | D Tsozué, SD Basga, AN Nzeukou | Spatial variation of soil weathering processes in the tropical high reliefs of Cameroon (Central Africa) | 2020 | https://dergipark.org.tr/en/pub/ejss/issue/50292/659830 |
| 88 | BP Kagonbé, D Tsozué, AN Nzeukou... | Suitability of lateritic soils from Garoua (North Cameroon) in Compressed Stabilized Earth Blocks production for low-cost housing construction | 2020 | https://www.jmaterenvironsci.com/Document/vol11/vol11_N4/JMES-2020-1159-Kagonbe.pdf |
| 89 | FM Owono, JN Atangana, S Owona, O Dauteuil... | Tectono-stratigraphic evolution and architecture of the Miocene Rio del Rey basin (Cameroon margin, Gulf of Guinea) | 2020 | https://link.springer.com/article/10.1007/s00531-020-01917-6 |
| 90 | JNG Deutou, LS Van Essa, RC Kaze, E Kamseu... | Thermal behaviour and phases evolution during the sintering of porous inorganic membranes | 2020 | https://www.sciencedirect.com/science/article/pii/S0955221920300455 |
| 91 | RBE Boum, CR Kaze, JGD Nemaleu, VB Djaoyang... | Thermal behaviour of metakaolin–bauxite blends geopolymer: microstructure and mechanical properties | 2020 | https://link.springer.com/article/10.1007/s42452-020-3138-9 |
| 92 | PN Lemougna, A Adediran, J Yliniemi, ... | Thermal stability of one-part metakaolin geopolymer composites containing high volume of spodumene tailings and glass wool | 2020 | https://www.sciencedirect.com/science/article/pii/S0958946520302985 |
| 93 | C Babé, DK Kidmo, A Tom, RRN Mvondo... | Thermomechanical characterization and durability of adobes reinforced with millet waste fibers (sorghum bicolor) | 2020 | https://www.sciencedirect.com/science/article/pii/S2214509520300942 |
| 94 | PN Lemougna, J Yliniemi, H Nguyen, ... | Utilisation of glass wool waste and mine tailings in high performance building ceramics | 2020 | https://www.sciencedirect.com/science/article/pii/S2352710220300942 |
| 95 | MN Ayiwouo, LLM Ngueyep, JR Mache, ST Kingni... | Waters of the Djouzami gold mining site (Adamawa, Cameroon): Physicochemical characterization and treatment test by Bana smectite (West, Cameroon) | 2020 | https://www.researchgate.net/profile/Ayiwouo-Ngounouno-Mouhamed/publication/347885282_Waters_of_the_Djouzami_gold_mining_site_Adamawa_Cameroon_Physicochemical_characterization_and_treatment_test_by_Bana_smectite_West_Cameroon/links/5fe5772492851c13feb92cea/Waters-of-the-Djouzami-gold-mining-site-Adamawa-Cameroon-Physicochemical-characterization-and-treatment-test-by-Bana-smectite-West-Cameroon.pdf |
| 96 | JP Temga, JR Mache, AB Madi, JP Nguetnkam... | Ceramics applications of clay in lake Chad basin, central africa | 2019 | https://www.sciencedirect.com/science/article/pii/S016913171930033X |

| | | | | |
|-----|---|--|------|---|
| 97 | ..., G Lecomte-Nana, AN Nzeukou... | Cocoa Cortex Ashes as Fluxing Additive for Vitriified Ceramic Making from Alluvial Clay | 2019 | https://www.scirp.org/journal/paperinformation.aspx?paperid=95852 |
| 98 | DET Mabah, HK Tchakouté, CH Rüscher... | Design of low cost semi-crystalline calcium silicate from biomass for the improvement of the mechanical and microstructural properties of metakaolin-based ... | 2019 | https://www.sciencedirect.com/science/article/pii/S0254058418309507 |
| 99 | ..., GL Lecomte-Nana, E Kamseu | Developing alternative geomaterials using laterites from Cameroon: reactivity and mechanical properties | 2019 | https://hal.univ-brest.fr/INC-CNRS/hal-02505424 |
| 100 | BN Bayiha, N Billong, E Yamb, RC Kaze... | Effect of limestone dosages on some properties of geopolymer from thermally activated halloysite | 2019 | https://www.sciencedirect.com/science/article/pii/S0950061819312188 |
| 101 | RC Kaze, GL Lecomte-Nana, E Kamseu... | Effect of solution type and temperature on the strengthening of laterite (Cameroon) based geomaterials: Rheological and micro calorimetry analyses | 2019 | https://hal.archives-ouvertes.fr/hal-02506842/ |
| 102 | RC Kaze, GL Lecomte-Nana, E Kamseu, M Lacroix... | Etude de la consolidation de la latérite par le biais d'acides organique et inorganique | 2019 | https://hal.univ-brest.fr/INC-CNRS/hal-02505695v1 |
| 103 | NNM Zenabou, N Benoit-Ali, S Zekeng... | Improving insulation in metakaolin based geopolymer: Effects of metabauxite and metatalc | 2019 | https://www.sciencedirect.com/science/article/pii/S2352710218302973 |
| 104 | C Tippayasam, S Sutikulsombat, E Kamseu... | In vitro surface reaction in SBF of a non-crystalline aluminosilicate (geopolymer) material | 2019 | https://link.springer.com/article/10.1007/s41779-018-0205-4 |
| 105 | CN Bewa, HK Tchakouté, CH Rüscher, E Kamseu... | Influence of the curing temperature on the properties of poly (phospho-ferro-siloxo) networks from laterite | 2019 | https://link.springer.com/article/10.1007/s42452-019-0975-5 |
| 106 | ..., HK Tchakouté, D Fotio, CH Rüscher, E Kamseu... | Influence of the molar ratios CaO/SiO ₂ contained in the sustainable microcomposites on the mechanical and microstructural properties of (Ca, Na)-poly (sialate-siloxo) ... | 2019 | https://www.sciencedirect.com/science/article/pii/S0254058419307278 |
| 107 | RY Nkwaju, JNY Djobo, JNF Nouping... | Iron-rich laterite-bagasse fibers based geopolymer composite: Mechanical, durability and insulating properties | 2019 | https://www.sciencedirect.com/science/article/pii/S0169131719303916 |
| 108 | FM Tchunte, HK Tchakouté, C Banenzoué... | Microstructural and mechanical properties of (Ca, Na)-poly (sialate-siloxo) from metakaolin as aluminosilicate and calcium silicate from precipitated silica and calcined ... | 2019 | https://www.sciencedirect.com/science/article/pii/S095006181833215X |
| 109 | HI Riyap, CN Bewa, C Banenzoué... | Microstructure and mechanical, physical and structural properties of sustainable lightweight metakaolin-based geopolymer cements and mortars employing rice husk | 2019 | https://www.tandfonline.com/doi/abs/10.1080/21870764.2019.1606140 |

| | | | | |
|-----|---|--|------|---|
| 110 | PN Lemougna, J Yliniemi, A Ismailov, ... | Recycling lithium mine tailings in the production of low temperature (700–900 C) ceramics: Effect of ladle slag and sodium compounds on the processing and final ... | 2019 | https://www.sciencedirect.com/science/article/pii/S0950061819315077 |
| 111 | A Nana, J Ngouné, RC Kaze, L Boubakar... | Room-temperature alkaline activation of feldspathic solid solutions: development of high strength geopolymers | 2019 | https://www.sciencedirect.com/science/article/pii/S0950061818327259 |
| 112 | L Yang, H Wang, A Wu, H Li, AB Tchamba... | Shear thinning and thickening of cemented paste backfill | 2019 | https://www.degruyter.com/document/doi/10.1515/arh-2019-0008/html |
| 113 | PN Lemougna, J Yliniemi, A Ismailov, E Levanen, ... | Spodumene tailings for porcelain and structural materials: effect of temperature (1050–1200° C) on the sintering and properties | 2019 | https://www.sciencedirect.com/science/article/pii/S0892687519302432 |
| 114 | KR Cyriaque, LNG LAURE, K Elie, CM Uphie | STUDY OF THE CONSOLIDATION OF LATERITE THROUGH ORGANIC AND INORGANIC ACIDS | 2019 | https://pubs.ub.ro/dwnl.php?id=PLUMEE201901V09S01A0021 |
| 115 | CR Nangah, TG Merlain, NJ Nsami, CP Tubwoh... | Synthesized goethite and natural iron oxide as effective absorbents for simultaneous removal of Co (II) and Ni (II) ions from water | 2019 | https://www.scirp.org/journal/paperinformation.aspx?paperid=94830 |
| 116 | MNL Leroy, FMC Dupont, K Elie | Valorization of Wood Ashes as Partial Replacement of Portland Cement: Mechanical Performance and Durability | 2019 | https://www.researchgate.net/profile/Mambou-Luc-Leroy-2/publication/331206582_Valorization_of_Wood_Ashes_as_Partial_Replacement_of_Portland_Cement_Mechanical_Performance_and_Durability/links/5c6bfdc792851c1c9debd20/Valorization-of-Wood-Ashes-as-Partial-Replacement-of-Portland-Cement-Mechanical-Performance-and-Durability.pdf |
| 117 | NY Rachel, B Abdelaziz, NJ Nsami... | Antibacterial properties of AgNO ₃ -activated carbon composite on Escherichia coli: inhibition action | 2018 | https://www.researchgate.net/profile/Rahel-Nkwaju/publication/323200020_Antibacterial_properties_of_AgNO3-activated_carbon_composite_on_Escherichia_Coli_inhibition_action/links/5a859a36458515b8af88ba81/Antibacterial-properties-of-AgNO3-activated-carbon-composite-on-Escherichia-Coli-inhibition-action.pdf |
| 118 | ..., D Njoya, A Njoya, D Rabibisao, JR Mache... | Characterization of clays from the Fouban region (west Cameroon) and evaluation for refractory brick manufacture | 2018 | https://www.cambridge.org/core/journals/clay-minerals/article/characterization-of-clays-from-the-fouban-region-west-cameroon-and-evaluation-for-refractory-brick-manufacture/483F32A62F7E8D9B72AEF619EE29818D |

| | | | | |
|-----|--|--|------|---|
| 119 | AN Nzeugang, M El Ouahabi, B Aziwo, JR Mache... | Characterization of kaolin from Mankon, northwest Cameroon | 2018 | https://www.cambridge.org/core/journals/clay-minerals/article/characterization-of-kaolin-from-mankon-nw-cameroon/C7C4BA14F8F140D64A4182B70DB3C8B0 |
| 120 | ..., M Biesuz, L Boubakar, UC Melo, E Kamseu... | Design and characterization of porous mullite based semi-vitrified ceramics | 2018 | https://www.sciencedirect.com/science/article/pii/S0272884218302542 |
| 121 | OR Njindam, D Njoya, JR Mache, M Mouafon... | Effect of glass powder on the technological properties and microstructure of clay mixture for porcelain stoneware tiles manufacture | 2018 | https://www.sciencedirect.com/science/article/pii/S0950061818305580 |
| 122 | CR Kaze, JNY Djobo, A Nana, HK Tchakoute... | Effect of silicate modulus on the setting, mechanical strength and microstructure of iron-rich aluminosilicate (laterite) based-geopolymer cured at room temperature | 2018 | https://www.sciencedirect.com/science/article/pii/S0272884218322776 |
| 123 | A Kagou Dongmo, CS Guedjeo... | Geochemical and geotechnical characterization of soils developed on volcanic rocks in the Bamenda Mountain (Cameroon volcanic line) | 2018 | https://www.researchgate.net/profile/Wotchoko-Pierre/publication/329096621_Geochemical_and_geotechnical_characterization_of_soils_developed_on_volcanic_rocks_on_the_Bamenda_mountain_Cameroon_volcanic_line/links/5d37faa64585153e591c576c/Geochemical-and-geotechnical-characterization-of-soils-developed-on-volcanic-rocks-on-the-Bamenda-mountain-Cameroon-volcanic-line.pdf |
| 124 | H Tchakoute Kouamo, SJK Melele, CH Rüscher... | Investigation of the relationship between the condensed structure and the chemically bonded water content in the network of geopolymer cements | 2018 | https://dc.engconfintl.org/geopolymers/100/ |
| 125 | SJK Melele, HK Tchakouté, C Banenzoué... | Investigation of the relationship between the condensed structure and the chemically bonded water content in the poly (sialate-siloxo) network | 2018 | https://www.sciencedirect.com/science/article/pii/S0169131718300371 |
| 126 | JP Temga, AB Madi, SB Djakba, PZ Zame... | Lime–and sand–stabilization of clayey materials from the Logone valley (Lake Chad basin) for their utilisation as building materials | 2018 | https://www.sciencedirect.com/science/article/pii/S2352710217302085 |
| 127 | E Kamseu, A Sola, M Messori, C Leonelli, A Nana... | Low-temperature alkaline activation of feldspathic solid solutions: Development of high strength geopolymers | 2018 | https://dc.engconfintl.org/geopolymers/55/ |
| 128 | SSG Hashemi, HB Mahmud, JNY Djobo, CG Tan... | Microstructural characterization and mechanical properties of bottom ash mortar | 2018 | https://www.sciencedirect.com/science/article/pii/S0959652617321923 |
| 129 | RC Kaze, LMB à MOUNGAM, M Cannio, R Rosa... | Microstructure and engineering properties of Fe ₂ O ₃ (FeO)-Al ₂ O ₃ -SiO ₂ based geopolymer composites | 2018 | https://www.sciencedirect.com/science/article/pii/S0959652618321607 |

| | | | | |
|-----|---|--|------|---|
| 130 | SAD Ninla, ASL Wouatong, ST Kouonang... | Mineralogical and Physico-Chemical Characterization of Clayey Materials of Meka'a (West Cameroon) Preliminary Step for Their Utilization for Human Ingestion | 2018 | http://article.earthjournal.net/pdf/10.11648.j.earth.20180702.15.pdf |
| 131 | AN Mefire, RY Fouateu, A Njoya, JR Mache, P Pilate... | Mineralogy and geochemical features of Fouban clay deposits (west Cameroon): genesis and potential applications | 2018 | https://www.cambridge.org/core/journals/clay-minerals/article/mineralogy-and-geochemical-features-of-fouban-clay-deposits-west-cameroon-genesis-and-potential-applications/EBBF993EAA15673BBAF6EDD2B6A0DD51 |
| 132 | E Kamseu, H Mohamed, JC Sofack... | Moisture Control Capacity of Geopolymer Composites: Correlation of the Bulk Composition–Pore Network with the Absorption–Desorption Behavior | 2018 | https://link.springer.com/article/10.1007/s11242-017-0990-1 |
| 133 | R Firdous, D Stephan, JNY Djobo | Natural pozzolan based geopolymers: A review on mechanical, microstructural and durability characteristics | 2018 | https://www.sciencedirect.com/science/article/pii/S0950061818323791 |
| 134 | BN Bayiha, E Yamb, JVS Metekong... | Optimizing the choice of limestone deposits for the Production of Portland Cement in Cameroon | 2018 | http://article.ijomsa.com/pdf/10.11648.j.ijomsa.20180705.12.pdf |
| 135 | N Billong, J Kinuthia, J Oti, UC Melo | Performance of sodium silicate free geopolymers from metakaolin (MK) and Rice Husk Ash (RHA): Effect on tensile strength and microstructure | 2018 | https://www.sciencedirect.com/science/article/pii/S0950061818321603 |
| 136 | E Kamseu, K Rodrigue, C Leonelli | Reinventing the structural fired clayey bricks through the geopolymerisation of laterites | 2018 | https://dc.engconfintl.org/geopolymers/22/ |
| 137 | PN Lemougna, K Wang, Q Tang, AN Nzeukou, ... | Review on the use of volcanic ashes for engineering applications | 2018 | https://www.sciencedirect.com/science/article/pii/S0921344918302064 |
| 138 | HK Tchakouté, E Kamseu, C Banenzoué... | Role of γ -Al ₂ O ₃ on the mechanical and microstructural properties of metakaolin-based geopolymer cements | 2018 | https://link.springer.com/article/10.1007/s10971-018-4616-z |
| 139 | CR Kaze, HK Tchakoute, TT Mbakop, JR Mache... | Synthesis and properties of inorganic polymers (geopolymers) derived from Cameroon-meta-halloysite | 2018 | https://www.sciencedirect.com/science/article/pii/S0272884218317966 |
| 140 | AT DJOWE, PN Lemougna, A Emadak, ... | Taking advantage of iron contained in natural volcanic ash for catalytic degradation of Rhodamine 6G | 2018 | https://revues.imist.ma/index.php/jasi/article/view/11169 |
| 141 | ..., RET Nguemo, S Ganno, SK Tchounang... | The active thermogene travertine deposits along the Cameroon volcanic line (CVL), central africa: Petrology and insights for neotectonics and paleoenvironmental ... | 2018 | https://www.sciencedirect.com/science/article/pii/S1464343X1830102X |

| | | | | |
|-----|---|--|------|---|
| 142 | HK Tchakouté, D Fotio, CH Rüscher, E Kamseu... | The effects of synthesized calcium phosphate compounds on the mechanical and microstructural properties of metakaolin-based geopolymer cements | 2018 | https://www.sciencedirect.com/science/article/pii/S0950061817325679 |
| 143 | E Kamseu, NJG Deutou, NA Nzeukou, UC Melo... | The role of kyanite in the crystallization and densification of the high strength mullite matrix composites | 2018 | https://link.springer.com/article/10.1007/s10973-017-6625-5 |
| 144 | C Nobouassia Bewa, HK Tchakouté... | Water resistance and thermal behavior of metakaolin-phosphate-based geopolymer cements | 2018 | https://www.tandfonline.com/doi/abs/10.1080/21870764.2018.1507660 |
| 145 | M Youmoue, RTT Fongang, JC Sofack, E Kamseu... | Design of ceramic filters using Clay/Sawdust composites: Effect of pore network on the hydraulic permeability | 2017 | https://www.sciencedirect.com/science/article/pii/S027288421632363X |
| 146 | PN Lemougna, K Wang, Q Tang, E Kamseu, ... | Effect of slag and calcium carbonate addition on the development of geopolymer from indurated laterite | 2017 | https://www.sciencedirect.com/science/article/pii/S0169131717303666 |
| 147 | W Li, PN Lemougna, K Wang, Y He, Z Tong, X Cui | Effect of vacuum dehydration on gel structure and properties of metakaolin-based geopolymers | 2017 | https://www.sciencedirect.com/science/article/pii/S0272884217316346 |
| 148 | D Tsozué, A NZEUKOU, P AZINWI | Genesis and classification of soils developed on gabbro in the high reliefs of Maroua region, North Cameroon | 2017 | https://dergipark.org.tr/en/pub/ejss/issue/27229/286631 |
| 149 | C Leonelli, E Kamseu, I Lancellotti... | Geopolymerization as cold-consolidation techniques for hazardous and non-hazardous wastes | 2017 | https://www.scientific.net/KEM.751.527 |
| 150 | J Pemndje | Hybridation des sources d'énergie pour la réduction des émissions des gaz à effet de serre | 2017 | http://semaphore.uqar.ca/id/eprint/1325/ |
| 151 | HK Tchakouté, CH Rüscher, E Kamseu, F Andreola... | Influence of the molar concentration of phosphoric acid solution on the properties of metakaolin-phosphate-based geopolymer cements | 2017 | https://www.sciencedirect.com/science/article/pii/S016913171730340X |
| 152 | K Wang, PN Lemougna, Q Tang, W Li, Y He, X Cui | Low temperature depolymerization and polycondensation of a slag-based inorganic polymer | 2017 | https://www.sciencedirect.com/science/article/pii/S0272884217306594 |
| 153 | K Wang, PN Lemougna, Q Tang, W Li, X Cui | Lunar regolith can allow the synthesis of cement materials with near-zero water consumption | 2017 | https://www.sciencedirect.com/science/article/pii/S1342937X16304117 |
| 154 | D Tsozué, AN Nzeugang, JR Mache, S Loweh... | Mineralogical, physico-chemical and technological characterization of clays from Maroua (Far-North, Cameroon) for use in ceramic bricks production | 2017 | https://www.sciencedirect.com/science/article/pii/S2352710216301711 |
| 155 | NY Rachel, B Abdelaziz, K Daouda, NN Julius... | Optimization study of the removal of atrazine from aqueous solution on to composite activated carbon-silver using response surface methodology | 2017 | https://scirp.org/journal/PaperInformation.aspx?PaperID=74895 |
| 156 | LMB à Mougam, H Mohamed, E Kamseu... | Properties of geopolymers made from fired clay bricks wastes and rice husk ash (RHA)-sodium hydroxide (NaOH) activator | 2017 | https://www.scirp.org/journal/paperinformation.aspx?paperid=77428 |

| | | | | |
|-----|--|---|------|---|
| 157 | PN Lemougna, K Wang, Q Tang, X Cui | Study on the development of inorganic polymers from red mud and slag system: Application in mortar and lightweight materials | 2017 | https://www.sciencedirect.com/science/article/pii/S0950061817318214 |
| 158 | E Kamseu, LMB à Mougam, M Cannio... | Substitution of sodium silicate with rice husk ash-NaOH solution in metakaolin based geopolymer cement concerning reduction in global warming | 2017 | https://www.sciencedirect.com/science/article/pii/S0959652616317954 |
| 159 | PN Lemougna, K Wang, Q Tang, X Cui | Synthesis and characterization of low temperature (< 800 C) ceramics from red mud geopolymer precursor | 2017 | https://www.sciencedirect.com/science/article/pii/S0950061816318773 |
| 160 | RC Kaze, LMB à Mougam, MLF Djouka, A Nana... | The corrosion of kaolinite by iron minerals and the effects on geopolymerization | 2017 | https://www.sciencedirect.com/science/article/pii/S0169131716305841 |
| 161 | ..., CH Rüscher, E Kamseu, JNY Djobo... | The influence of gibbsite in kaolin and the formation of berlinite on the properties of metakaolin-phosphate-based geopolymer cements | 2017 | https://www.sciencedirect.com/science/article/pii/S0254058417305291 |
| 162 | HK Tchakouté, CH Rüscher, S Kong, E Kamseu... | Thermal behavior of metakaolin-based geopolymer cements using sodium waterglass from rice husk ash and waste glass as alternative activators | 2017 | https://link.springer.com/content/pdf/10.1007/s12649-016-9653-7.pdf |
| 163 | HK Tchakouté, CH Rüscher, M Hinsch, JNY Djobo... | Utilization of sodium waterglass from sugar cane bagasse ash as a new alternative hardener for producing metakaolin-based geopolymer cement | 2017 | https://www.sciencedirect.com/science/article/pii/S0009281916301155 |
| 164 | JNY Djobo, A Elimbi, HK Tchakouté... | Volcanic ash-based geopolymer cements/concretes: the current state of the art and perspectives | 2017 | https://link.springer.com/article/10.1007/s11356-016-8230-8 |
| 165 | A Mobili, A Balo Madi, A Peys, F Tittarelli... | Abstracts from National Young Researchers' Forum on Materials Science and Technology, XIII AIMAT National Congress, National Biomaterial Congress ... | 2016 | https://lirias.kuleuven.be/1942075?limo=0 |
| 166 | ST Kouonang, ASL Wouatong, JGD Nemaleu... | Assessment of Ceramic Properties of Fired Clayey Brick Materials from Bamessing in North-West Cameroon (Central Africa) | 2016 | https://link.springer.com/article/10.1007/BF03401157 |
| 167 | HK Tchakouté, CH Rüscher, S Kong, E Kamseu... | Comparison of metakaolin-based geopolymer cements from commercial sodium waterglass and sodium waterglass from rice husk ash | 2016 | https://link.springer.com/content/pdf/10.1007/s10971-016-3983-6.pdf |
| 168 | E Yamb, NB Blaise, B Ndigui, IR Serykh | Compatibility of Bidzar Limestone and Figuil Clay (Northern Cameroon) for The Production of Portland Clinker | 2016 | https://elibrary.ru/item.asp?id=29832952 |
| 169 | E Kamseu, I Lancellotti, VM Sglavo, L Modolo... | Design of inorganic polymer mortar from ferricalsialic and calisialic slags for indoor humidity control | 2016 | https://www.mdpi.com/141478 |
| 170 | JNY Djobo, HK Tchakoute, N Ranjbar... | Gel composition and strength properties of alkali-activated oyster shell-volcanic ash: effect of synthesis conditions | 2016 | https://ceramics.onlinelibrary.wiley.com/doi/abs/10.1111/jace.14332 |

| | | | | |
|-----|--|---|------|---|
| 171 | HK Tchakouté, CH Rüscher, S Kong, E Kamseu... | Geopolymer binders from metakaolin using sodium waterglass from waste glass and rice husk ash as alternative activators: A comparative study | 2016 | https://www.sciencedirect.com/science/article/pii/S0950061816304883 |
| 172 | S Kumar, JNY Djobo, A Kumar, S Kumar | Geopolymerization behavior of fine iron-rich fraction of brown fly ash | 2016 | https://www.sciencedirect.com/science/article/pii/S2352710216301528 |
| 173 | J Pemndje, A Ilinca, TR Tene Fongang... | Impact of using renewable energy on the cost of electricity and environment in Northern Cameroon | 2016 | http://www.jree.ir/&url=http://www.jree.ir/article_70098.html |
| 174 | ..., A Nzeukou Nzeugang, M Uphie Chinje, JR Mache... | Mapping and geotechnical characterization of some local construction materials for the Adamawa Region of Cameroon | 2016 | |
| 175 | JNY Djobo, A Elimbi, HK Tchakouté, S Kumar | Mechanical activation of volcanic ash for geopolymer synthesis: effect on reaction kinetics, gel characteristics, physical and mechanical properties | 2016 | https://pubs.rsc.org/en/content/articlehtml/2016/ra/c6ra03667h |
| 176 | JNY Djobo, A Elimbi, HK Tchakouté, S Kumar | Mechanical properties and durability of volcanic ash based geopolymer mortars | 2016 | https://www.sciencedirect.com/science/article/pii/S0950061816312405 |
| 177 | PD Ndjigui, JA Mbey, AN Nzeukou | Mineralogical, physical and mechanical features of ceramic products of the alluvial clastic clays from the Ngog-Lituba region, Southern Cameroon | 2016 | https://www.sciencedirect.com/science/article/pii/S2352710215300504 |
| 178 | YJN Djobo, A Elimbi, JD Manga, IBDL Ndjock | Partial replacement of volcanic ash by bauxite and calcined oyster shell in the synthesis of volcanic ash-based geopolymers | 2016 | https://www.sciencedirect.com/science/article/pii/S0950061816303968 |
| 179 | C Tippayasam, P Balyore, P Thavorniti... | Potassium alkali concentration and heat treatment affected metakaolin-based geopolymer | 2016 | https://www.sciencedirect.com/science/article/pii/S0950061815306528 |
| 180 | LN Tchadjié, JNY Djobo, N Ranjbar, HK Tchakouté... | Potential of using granite waste as raw material for geopolymer synthesis | 2016 | https://www.sciencedirect.com/science/article/pii/S0272884215019938 |
| 181 | JNY Djobo, A Elimbi, HK Tchakouté... | Reactivity of volcanic ash in alkaline medium, microstructural and strength characteristics of resulting geopolymers under different synthesis conditions | 2016 | https://link.springer.com/article/10.1007/s10853-016-0257-1 |
| 182 | PN Lemougna, K Wang, Q Tang, UC Melo, X Cui | Recent developments on inorganic polymers synthesis and applications | 2016 | https://www.sciencedirect.com/science/article/pii/S0272884216310793 |
| 183 | E Kamseu, C Ponzoni, C Tippayasam, R Taurino... | Self-compacting geopolymer concretes: Effects of addition of aluminosilicate-rich fines | 2016 | https://www.sciencedirect.com/science/article/pii/S2352710216300043 |
| 184 | HEB El Idrissi, L Daoudi, M El Ouahabi, AB Madi... | Suitability of soils and river deposits from Marrakech for the manufacturing of earthenware | 2016 | https://www.sciencedirect.com/science/article/pii/S0169131716302083 |
| 185 | JGN Deutou, H Mohamed, NA Nzeukou... | The role of kyanite in the improvement in the crystallization and densification of the high strength mullite matrix | 2016 | https://link.springer.com/article/10.1007/s10973-016-5686-1 |

| | | | | |
|-----|---|---|------|---|
| 186 | NN Aubin, UC Melo, MJ Richard, ND Azigui, N Jean | Typology of Local Construction Materials from the Adamawa and North-West Regions of Cameroon | 2016 | https://www.scirp.org/html/2-1110126_65809.htm |
| 187 | A Mobili, A Balo Madi, A Peys, F Tittarelli, N Fagel... | What if we use biomass ashes to activate one-part geopolymers?, Accepted to be published in | 2016 | |
| 188 | HK Tchakouté, S Kong, JNY Djobo, LN Tchadjé... | A comparative study of two methods to produce geopolymer composites from volcanic scoria and the role of structural water contained in the volcanic scoria on its ... | 2015 | https://www.sciencedirect.com/science/article/pii/S027288421501189X |
| 189 | NY Rachel, NJ Nsami, BB Placide... | Adsorption of manganese (II) ions from aqueous solutions onto granular activated carbon (GAC) and modified activated carbon (MAC) | 2015 | https://www.researchgate.net/profile/Kouotou-Daouda/publication/306374301_Adsorption_of_Manganesell_Ions_from_Aqueous_Solutions_onto_Granular_Activated_Carbon_GAC_and_Modified_Activated_Carbon_MAC/links/5dea5be2299bf10bc3452e30/Adsorption-of-Manganesell-Ions-from-Aqueous-Solutions-onto-Granular-Activated-Carbon-GAC-and-Modified-Activated-Carbon-MAC.pdf |
| 190 | ..., S Tchounang Kouonang, YKP Hawa Mohamed... | Chemical and Mineralogical characterization of clayey deposits for traditional pottery and brickworks in the North West region of Cameroon (central Africa) | 2015 | |
| 191 | RTT Fongang, J Pemndje, PN Lemougna, UC Melo... | Cleaner production of the lightweight insulating composites: microstructure, pore network and thermal conductivity | 2015 | https://www.sciencedirect.com/science/article/pii/S0378778815301948 |
| 192 | CN Djangang, C Tealdi, AS Cattaneo... | Cold-setting refractory composites from cordierite and mullite–cordierite design with geopolymer paste as binder: Thermal behavior and phase evolution | 2015 | https://www.sciencedirect.com/science/article/pii/S0254058415000607 |
| 193 | E Kamseu, ZNM Ngouloure, BN Ali, S Zekeng... | Cumulative pore volume, pore size distribution and phases percolation in porous inorganic polymer composites: relation microstructure and effective thermal ... | 2015 | https://www.sciencedirect.com/science/article/pii/S0378778814010330 |
| 194 | M Romagnoli, C Leonelli, E Kamseu... | Effect of viscosity on the geopolymer porosity | 2015 | https://books.google.com/books?hl=en&lr=&id=IGmYCgAAQBAJ&oi=fnd&pg=PA71&dq=%22elie+kamseu%22&ots=sWTok6FKHd&sig=4xIHdsbBgKfsQs2C8FXB-pB-tyo |
| 195 | AB Tchamba, JC Sofack, R Yongue... | Formulation of calcium dialuminate (CaO·2Al ₂ O ₃) refractory cement from local bauxite | 2015 | https://www.tandfonline.com/doi/abs/10.1016/j.jascer.2015.01.001 |
| 196 | GFN Ngon, PS Abomo, MB Mbog, AM Bitchong... | Geological, Mineralogical and Geochemical Studies of Pyrite Deposits in the Eastern Part of Douala Sub-Basin (Cameroon, Central Africa) | 2015 | https://www.scirp.org/html/8-2801041_59260.htm?pagespeed=noscript |

| | | | | |
|-----|---|---|------|---|
| 197 | E Kamseu, C Ponzoni, C Tippayasam, R Taurino... | Influence of fine aggregates on the microstructure, porosity and chemico-mechanical stability of inorganic polymer concretes | 2015 | https://www.sciencedirect.com/science/article/pii/S0950061815303032 |
| 198 | HK Tchakoute, CH Rüscher, JNY Djobo, BBD Kenne... | Influence of gibbsite and quartz in kaolin on the properties of metakaolin-based geopolymer cements | 2015 | https://www.sciencedirect.com/science/article/pii/S016913171500040X |
| 199 | JR Mache, P Signing, JA Mbey... | Mineralogical and physico-chemical characteristics of Cameroonian smectitic clays after treatment with weakly sulfuric acid | 2015 | https://www.cambridge.org/core/journals/clay-minerals/article/mineralogical-and-physicochemical-characteristics-of-cameroonian-smectitic-clays-after-treatment-with-weakly-sulfuric-acid/779CCCA002407BAAA31D46A20AB19AC5 |
| 200 | ..., SAE Abeng, E Ekomane, AN Nzeukou... | Mineralogy and geochemistry of pseudogley soils and recent alluvial clastic sediments in the Ngog-Lituba region, Southern Cameroon: an implication to their genesis | 2015 | https://www.sciencedirect.com/science/article/pii/S1464343X15000795 |
| 201 | TJ Pierre, NJ Pierre, BM Achile, BS Djakba... | Morphological, physico chemical, mineralogical and geochemical properties of vertisols used in bricks production in the Logone Valley (Cameroon, Central ... | 2015 | https://www.researchgate.net/profile/Simon-Basga/publication/326300391_Morphological_physico_chemical_mineralogical_and_geochemical_properties_of_vertisols_used_in_bricks_production_in_the_Logone_Valley_Cameroon_Central_Africa/links/5b45ef34aca272dc38606c0b/Morphological-physico-chemical-mineralogical-and-geochemical-properties-of-vertisols-used-in-bricks-production-in-the-Logone-Valley-Cameroon-Central-Africa.pdf |
| 202 | I Lancellotti, E Kamseu, L Barbieri, A Corradi... | Municipal solid waste incinerator fly ash to obtain geopolymers | 2015 | http://www.slag-valorisation-symposium.eu/2011/images/posters/Lancellotti_2nd_Slag_Valor_Symposium.pdf |
| 203 | B Aziwo | Nature of the upper mantle beneath Wum (central part of the Cameroon Volcanic Line): Petrography and geochemistry | 2015 | |
| 204 | AN Mefire, A Njoya, RY Fouateu, JR Mache... | Occurrences of kaolin in Koutaba (west Cameroon): Mineralogical and physicochemical characterization for use in ceramic products | 2015 | https://www.cambridge.org/core/journals/clay-minerals/article/occurrences-of-kaolin-in-koutaba-west-cameroon-mineralogical-and-physicochemical-characterization-for-use-in-ceramic-products/585F60300A9E8BDFDB511E25D5D64AA2 |
| 205 | ZNM NGouloure, B Nait-Ali, S Zekeng... | Recycled natural wastes in metakaolin based porous geopolymers for insulating applications | 2015 | https://www.sciencedirect.com/science/article/pii/S2352710215300012 |
| 206 | E Tiffo, A Elimbi, JD Manga... | Red ceramics produced from mixtures of kaolinite clay and waste glass | 2015 | https://bjst-journal.springeropen.com/articles/10.1186/s40552-015-0009-9 |

| | | | | |
|-----|---|---|------|---|
| 207 | E Kamseu, L Beuleck, UC Melo, C Leonelli | RICE HUSK ASH AS SOURCE OF SOLUBLE SILICATE IN THE DESIGN OF METAKAOLIN BASED INORGANIC POLYMER CEMENT AND MORTARS | 2015 | https://www.researchgate.net/profile/Nsesheye-Msinjili-2/project/KEYS-Knowledge-Exchange-for-Young-Scientists/attachment/5763ce4a08aebcf4f44a544b/AS:373910701920256@1466158666633/download/KEYS-Proceedings_NEW%28with+sponsor+page%29.pdf?context=ProjectUpdatesLog#page=129 |
| 208 | NC Djangang, E Kamseu, CC Tchamo, D Capsoni... | Sustainable binder from high amounts of gibbsite associated with kaolinitic clay | 2015 | |
| 209 | AB Tchamba, A Elimbi, M Mbessa, UC Melo... | Thermoelastic properties evolution and damping phenomena of Cameroonian calcined bauxite stabilized with calcium dialuminate refractory cement | 2015 | https://www.sciencedirect.com/science/article/pii/S0272884214011882 |
| 210 | E Kamseu, C Djangang, P Veronesi, A Fernanda... | Transformation of the geopolymer gels to crystalline bonds in cold-setting refractory concretes: Pore evolution, mechanical strength and microstructure | 2015 | https://www.sciencedirect.com/science/article/pii/S0264127515304007 |
| 211 | A Njoya, A Nzeukou, RJ Mache, D Wetschondo, É Pirard... | Valorisation des géoressources pour matériaux locaux de construction en zone périurbaine des pays en voie de développement | 2015 | |
| 212 | EA Obonyo, E Kamseu, PN Lemougna, AB Tchamba... | A sustainable approach for the geopolymerization of natural iron-rich aluminosilicate materials | 2014 | https://www.mdpi.com/79204 |
| 213 | JL Provis, A Fernández-Jiménez, E Kamseu... | Binder chemistry—Low-calcium alkali-activated materials | 2014 | https://link.springer.com/chapter/10.1007/978-94-007-7672-2_4 |
| 214 | E Kamseu, M Cannio, EA Obonyo, F Tobias... | Cement & concrete composites metakaolin-based inorganic polymer composite: effects of fine aggregate composition and structure on porosity evolution ... | 2014 | |
| 215 | A Nkalih Mefire, A Njoya, JR Mache... | Indice de Kaolin à Koutaba (Ouest-Cameroun) | 2014 | https://orbi.uliege.be/bitstream/2268/181692/1/resumegffinal.docx |
| 216 | PN Lemougna, UFC Melo, MP Delplancke, ... | Influence of the chemical and mineralogical composition on the reactivity of volcanic ashes during alkali activation | 2014 | https://www.sciencedirect.com/science/article/pii/S0272884213007475 |
| 217 | PN Lemougna, AB Madi, E Kamseu, UC Melo... | Influence of the processing temperature on the compressive strength of Na activated lateritic soil for building applications | 2014 | https://www.sciencedirect.com/science/article/pii/S0950061814004267 |
| 218 | E Kamseu, M Cannio, EA Obonyo, F Tobias... | Metakaolin-based inorganic polymer composite: Effects of fine aggregate composition and structure on porosity evolution, microstructure and mechanical properties | 2014 | https://www.sciencedirect.com/science/article/pii/S0958946514001267 |

| | | | | |
|-----|--|--|------|---|
| 219 | NA Nzeukou, K Traina, ER Medjo, E Kamseu... | Mineralogical and physical changes during sintering of plastic red clays from Sanaga Swampy Valley, Cameroon | 2014 | https://link.springer.com/article/10.1007/BF03401056 |
| 220 | JR Mache, P Signing, JA Mbey, F Thomas... | Mineralogical, Physicochemical Properties of smectite clays from Bana (Western Cameroon) and Preliminary test as Potential oil bleaching earth | 2014 | https://orbi.uliege.be/handle/2268/175057 |
| 221 | NA Nzeukou | Minéralogie, géochimie et propriétés céramiques des argiles alluviales de la Sanaga entre Nanga-Eboko et Ebebda (région du centre-Cameroun) | 2014 | |
| 222 | CN Djangang, E Kamseu, A Elimbi, GL Lecomte... | Net-shape clay ceramics with glass waste additive | 2014 | https://www.scirp.org/journal/paperinformation.aspx?paperid=47499 |
| 223 | CN Djangang, AB Tchamba, E Kamseu... | Reaction sintering and microstructural evolution in metakaolin-metastable alumina composites | 2014 | https://link.springer.com/article/10.1007/s10973-014-3937-6?sa_campaign=email/event/articleAuthor/onlineFirst&error=cookies_not_supported&code=3260bb26-96e0-41fe-a4a1-75bd34f6db99 |
| 224 | RM Eko, LS Minsili, EMA Dodo | Sustainable study of local lateritic soils compressibility | 2014 | https://www.researchgate.net/profile/Lezin-Seba-Minsili/publication/327345943_Sustainable_Study_of_Local_Lateritic_Soils_Compressibility/links/5b895ef992851c1e123f4239/Sustainable-Study-of-Local-Lateritic-Soils-Compressibility.pdf |
| 225 | JNY Djobo, LN Tchadjié, HK Tchakoute... | Synthesis of geopolymer composites from a mixture of volcanic scoria and metakaolin | 2014 | https://www.tandfonline.com/doi/abs/10.1016/j.jascer.2014.08.003 |
| 226 | AB Tchamba, UC Melo, GL Lecomte-Nana... | Use of bauxite from Cameroon for solid state sintering and characterization of calcium dialuminate (CaO· 2Al ₂ O ₃) refractory cement | 2014 | https://www.sciencedirect.com/science/article/pii/S0272884213008997 |
| 227 | AN Nzeugang, RM Eko, N Fagel, VK Kabeyene... | Characterization of clay deposits of Nanga-Eboko (central Cameroon): suitability for the production of building materials | 2013 | https://www.cambridge.org/core/journals/clay-minerals/article/characterization-of-clay-deposits-of-nangaeboko-central-cameroon-suitability-for-the-production-of-building-materials/6AE71BDAB4F347958FA40DCCA24EA43D |
| 228 | E Kamseu, MC Bignozzi, UC Melo, C Leonelli... | Design of inorganic polymer cements: Effects of matrix strengthening on microstructure | 2013 | https://www.sciencedirect.com/science/article/pii/S0950061812006952 |
| 229 | D YANKWA, J NOEL | effets de l'incorporation d'adjuvants minéraux sur les propriétés de ciments géopolymères à base de scories volcaniques | 2013 | https://oatd.org/oatd/record?record=oai%5C%3Aeprints.campuc.e.org%5C%3A76 |
| 230 | E Kamseu, A Nzeukou, P Lemougna, N Billong... | Induration of laterites in tropical areas: Assessment for potential structural applications | 2013 | https://iris.unimore.it/handle/11380/1208098 |

| | | | | |
|-----|---|--|------|---|
| 231 | ..., U Melo Chinje, A Njoya, P Lemougna Ninla, ... | Industrial potentiality of alluvial clays deposits from Cameroon: influence of lateritic clayey admixture for fired bricks production. | 2013 | https://orbi.uliege.be/bitstream/2268/151791/2/Aubin%20Ebebd%20JMMCE%202013.pdf |
| 232 | PN Lemougna, UFC Melo, MP Delplancke, ... | Influence of the activating solution composition on the stability and thermo-mechanical properties of inorganic polymers (geopolymers) from volcanic ash | 2013 | https://www.sciencedirect.com/science/article/pii/S0950061813006077 |
| 233 | JR Mache | Minéralogie et propriétés physico-chimiques des smectites de Bana et Sabga (Cameroun). Utilisation dans la décoloration d'une huile végétale alimentaire | 2013 | https://orbi.uliege.be/handle/2268/149049 |
| 234 | AN Nzeukou, N Fagel, A Njoya, VB Kamgang... | Mineralogy and physico-chemical properties of alluvial clays from Sanaga valley (Center, Cameroon): Suitability for ceramic application | 2013 | https://www.sciencedirect.com/science/article/pii/S0169131713002834 |
| 235 | JR Mache | MINERALOGY AND PHYSICO-CHEMICAL PROPERTIES OF SMECTITE CLAYS FROM BANA AND SABGA (CAMEROON). Potential use in bleaching ... | 2013 | http://bictel.ulg.ac.be/ETD-db/collection/available/ULgetd-06052013-111703/ |
| 236 | MC Bignozzi, S Manzi, I Lancellotti, E Kamseu... | Mix-design and characterization of alkali activated materials based on metakaolin and ladle slag | 2013 | https://www.sciencedirect.com/science/article/pii/S0169131712002323 |
| 237 | N Billong, UC Melo, D Njopwouo, F Louvet, JP Bonnet | Physicochemical characteristics of some Cameroonian pozzolans for use in sustainable cement like materials | 2013 | https://www.scirp.org/html/3-7700871_27062.htm?pagespeed=noscript |
| 238 | E Kamseu, T Bakop, C Djangang, UC Melo... | Porcelain stoneware with pegmatite and nepheline syenite solid solutions: Pore size distribution and descriptive microstructure | 2013 | https://www.sciencedirect.com/science/article/pii/S095522191300174X |
| 239 | TT Bakop, RTT Fongang, UC Melo, E Kamseu... | Sintering behaviors of two porcelainized stoneware compositions using pegmatite and nepheline syenite minerals | 2013 | https://link.springer.com/article/10.1007/s10973-012-2890-5 |
| 240 | JR Mache, P Signing, A Njoya, F Kunyukubundo... | Smectite clay from the Sabga deposit (Cameroon): mineralogical and physicochemical properties | 2013 | https://www.cambridge.org/core/journals/clay-minerals/article/smectite-clay-from-the-sabga-deposit-cameroon-mineralogical-and-physicochemical-properties/E26A49C4112D085002662871AED275FF |
| 241 | PN Lemougna, KJD MacKenzie, GNL Jameson, ... | The role of iron in the formation of inorganic polymers (geopolymers) from volcanic ash: a 57 Fe Mössbauer spectroscopy study | 2013 | https://link.springer.com/article/10.1007/s10853-013-7319-4 |
| 242 | A Tchamba, A Nzeukou, R Tené, UC Melo | Building potentials of stabilized earth blocks in Yaounde and Douala (Cameroon) | 2012 | https://www.researchgate.net/profile/Arlin-Bruno-Tchamba/publication/262355897_Building_Potentials_of_Stabilized_Earth_Blocks_in_Yaounde_and_Douala_Cameroon/links/53f766420cf24ddb7d623a6/Building-Potentials-of-Stabilized-Earth-Blocks-in-Yaounde-and-Douala-Cameroon.pdf |

| | | | | |
|-----|--|---|------|---|
| 243 | E Kamseu, B Nait-Ali, MC Bignozzi, C Leonelli... | Bulk composition and microstructure dependence of effective thermal conductivity of porous inorganic polymer cements | 2012 | https://www.sciencedirect.com/science/article/pii/S0955221911006790 |
| 244 | M El Ouahabi, A Nzeukou Nzeugang, N Fagel | Caractérisation et valorisation des argiles du Maroc (Nord-Est et Centre-Nord) en vue de leur application dans le domaine de la céramique | 2012 | https://orbi.uliege.be/handle/2268/149395 |
| 245 | E Kamseu, V Catania, C Djangang... | Correlation between microstructural evolution and mechanical properties of α -quartz and alumina reinforced K-geopolymers during high temperature treatments | 2012 | https://www.tandfonline.com/doi/abs/10.1179/1743676111Y.000000013 |
| 246 | JR Mache | Effect of Acid Treatment on the Physicochemical and Mineralogical Properties of Smectite Clays from Cameroon. | 2012 | https://orbi.uliege.be/bitstream/2268/138984/1/Poster_UNITER_2_2012.pdf |
| 247 | CN Djangang, UC Melo... | Historique des matériaux locaux dans la construction au Cameroun | 2012 | |
| 248 | E Kamseu, B Ceron, H Tobias, E Leonelli... | Insulating behavior of metakaolin-based geopolymer materials assess with heat flux meter and laser flash techniques | 2012 | https://akjournals.com/view/journals/10973/108/3/article-p1189.xml |
| 249 | M Catauro, F Bollino, I Kansal, E Kamseu, I Lancellotti... | Mechanical and biological characterization of geopolymers for potential application as biomaterials | 2012 | https://iris.unimore.it/handle/11380/738272 |
| 250 | JR Mache, N Fagel, A Njoya | Mineralogical and Chemical Characterizations of Natural Clays from NW Cameroon | 2012 | https://orbi.uliege.be/handle/2268/126787 |
| 251 | JR Mache, N Fagel, P SIGNING | Physico-chimie et minéralogie des argiles de Bana (Ouest, Cameroun) | 2012 | https://orbi.uliege.be/handle/2268/127836 |
| 252 | C Leonelli, L Barbieri, I Lancellotti, E Kamseu... | Procedimento per l'inertizzazione di rifiuti liquidi | 2012 | https://iris.unimore.it/handle/11380/836510 |
| 253 | M Romagnoli, C Leonelli, E Kamseu... | Rheology of geopolymer by DOE approach | 2012 | https://www.sciencedirect.com/science/article/pii/S0950061812003261 |
| 254 | E Obonyo, E Kamseu, UC Melo, C Leonelli | Advancing the use of secondary inputs in geopolymer binders for sustainable cementitious composites: a review | 2011 | https://www.mdpi.com/22680 |
| 255 | E Kamseu, C Leonelli... | Evolution of fired clay products: from origin to sustainable building ceramics | 2011 | https://pennstate.pure.elsevier.com/en/publications/evolution-of-fired-clay-products-from-origin-to-sustainable-build |
| 256 | E Kamseu, E Landi | Geopolimeri e materiali porosi | 2011 | |
| 257 | E Kamseu | Geopolymer materials as new matrices for structural and insulating applications | 2011 | |
| 258 | N Billong, UC Melo, E Kamseu, JM Kinuthia... | Improving hydraulic properties of lime-rice husk ash (RHA) binders with metakaolin (MK) | 2011 | https://www.sciencedirect.com/science/article/pii/S0950061810005416 |

| | | | | |
|-----|--|--|------|---|
| 259 | PN Lemougna, UFC Melo, E Kamseu, AB Tchamba | Laterite based stabilized products for sustainable building applications in tropical countries: review and prospects for the case of Cameroon | 2011 | https://www.mdpi.com/2071-1050/3/1/293 |
| 260 | A Nzeukou Nzeugang, N Fagel, A Njoya... | Les argiles alluviales de la Sanaga (Centre-Cameroun): caractérisation et application céramique | 2011 | https://orbi.uliege.be/handle/2268/129448 |
| 261 | UC Melo, N Billong, EC Kimaro | Lime-Barium and Lime-Zinc Raw Glazes with Raw Materials from Tanzania and Cameroon | 2011 | https://www.scirp.org/html/7929.html |
| 262 | AB Tchamba, UC Melo, R Yongue... | Phase and microstructure evolution during densification of bauxite of Haleo-Danielle (Minim-Martap, Cameroon) between 1000 and 1600° C | 2011 | https://www.researchgate.net/profile/Arlin-Bruno-Tchamba/publication/262344765_Phase_and_microstructural_evolution_during_densification_of_bauxite_of_Haleo-Danielle_Minim-Martap_Cameroon_between_1000_and_1600C_International_Journal_of_Materials_Science_ISSN_0973-4589_vol6_Number/links/5f0f1cad299bf1e548b71b0f/Phase-and-microstructural-evolution-during-densification-of-bauxite-of-Haleo-Danielle-Minim-Martap-Cameroon-between-1000-and-1600C-International-Journal-of-Materials-Science-ISSN-0973-4589-vol6-Numb.pdf |
| 263 | ..., C Leonelli, UF Chinje Melo, D Perera, PN Lemougna | Polysialate matrixes from Al-rich and Si-rich metakaolins: polycondensation and physico-chemical properties | 2011 | https://iris.unimore.it/handle/11380/1208089 |
| 264 | CN Djangang, E Kamseu, MK Ndikontar... | Sintering behaviour of porous ceramic kaolin–corundum composites: phase evolution and densification | 2011 | https://www.sciencedirect.com/science/article/pii/S0921509311007714 |
| 265 | PN Lemougna, KJD MacKenzie, UFC Melo | Synthesis and thermal properties of inorganic polymers (geopolymers) for structural and refractory applications from volcanic ash | 2011 | https://www.sciencedirect.com/science/article/pii/S0272884211003737 |
| 266 | JR Mache, N Fagel, P Signing | Valorisation de l'argile de Bana (Ouest-Cameroun) dans la décoloration d'une huile végétale alimentaire | 2011 | https://orbi.uliege.be/bitstream/2268/127837/1/poster%20uniter%20JRM%2012%202011.pdf |
| 267 | E Kamseu, C Leonelli, DN Boccaccini, P Veronesi... | Alkali-silica glassy matrixes (AGM) as replacement for feldspar in conventional porcelain compositions | 2010 | https://iris.unimore.it/handle/11380/854706 |
| 268 | M Catauro, F Bollino, I Lancellotti... | Chemical and biological characterization of geopolymers for potential application as hard tissue prostheses | 2010 | https://www.scientific.net/AST.69.192 |
| 269 | I Lancellotti, E Kamseu, M Michelazzi, L Barbieri... | Chemical stability of geopolymers containing municipal solid waste incinerator fly ash | 2010 | https://www.sciencedirect.com/science/article/pii/S0956053X09003869 |
| 270 | E Kamseu, A Rizzuti, C Leonelli, D Perera | Enhanced thermal stability in K ₂ O-metakaolin-based geopolymer concretes by Al ₂ O ₃ and SiO ₂ fillers addition | 2010 | https://link.springer.com/article/10.1007/s10853-009-4108-1 |

| | | | | |
|-----|--|---|------|---|
| 271 | C Tippayasam, S Boonsalee... | Geopolymer development by powders of metakaolin and wastes in Thailand | 2010 | https://www.scientific.net/ast.69.63 |
| 272 | C Leonelli, E Kamseu, M Valentina... | Materie prime di origine naturale nel processo di geopolimerizzazione | 2010 | https://core.ac.uk/download/pdf/37835882.pdf |
| 273 | E Kamseu, C Leonelli | Synthesis of polysialate matrixes from Al-rich and Si-rich metakaolins: Polycondensation and physico-chemical properties | 2010 | |
| 274 | AB Tchamba, UC Melo, E Kamseu... | THERMAL AND SINTERING BEHAVIOUR OF BAUXITES FROM HALEO-DANIELLE, MINIM-MARTAP(CAMEROON) | 2010 | https://www.researchgate.net/profile/Arlin-Bruno-Tchamba/publication/287177781_Thermal_and_sintering_behavior_of_bauxite_samples_from_Haleo-Danielle_Minim-Martap_Cameroon/links/5f0f1d1992851c1eff11f217/Thermal-and-sintering-behavior-of-bauxite-samples-from-Haleo-Danielle-Minim-Martap-Cameroon.pdf |
| 275 | E Kamseu, C Leonelli | Transformation of Polysialate Matrixes from Al-Rich and Si-Rich Metakaolins: Polycondensation and Physico-Chemical Properties | 2010 | https://books.google.com/books?hl=en&lr=&id=vJQC8P-DDDEC&oi=fnd&pg=PA35&dq=%22elie+kamseu%22&ots=ARp2CczFyU&sig=YfoNnTL4HvDQkwmF--Wdkq_Nac |
| 276 | C Leonelli, E Kamseu, DN Boccaccini... | Alkali-ions diffusion, mullite formation, and crystals dissolution during sintering of porcelain bodies: Microstructural approach | 2009 | https://journals.sagepub.com/doi/abs/10.1243/14644207JMDA241 |
| 277 | E Kamseu, A Rizzuti, C Leonelli... | Dehydration, dehydroxylation, densification and deformation during sintering of geopolymers based on the K2O-Al2O3-SiO2 system | 2009 | https://books.google.com/books?hl=en&lr=&id=nvyjAgAAQBAJ&oi=fnd&pg=PA217&dq=%22e+kamseu%22&ots=8Y7Dn3M-vJ&sig=jDMsTQGHcz1pcfgeEIChQqRtZFA |
| 278 | C Leonelli, E Kamseu, UC Melo, A Corradi... | Descriptive microstructure and fracture surface observations of fired volcanic ash | 2009 | https://link.springer.com/article/10.1007/s10853-009-3755-6 |
| 279 | N Billong, UC Melo, D Njopwouo, F Louvet... | Effect of mixture constituents on properties of slaked lime–metakaolin–sand mortars containing sodium hydroxide | 2009 | https://www.sciencedirect.com/science/article/pii/S0958946509001024 |
| 280 | L Mofor, JM Kinuthia, UC Melo, D Djalli | Energy in Cameroon: the potential for transporting waste to riches | 2009 | |
| 281 | E Kamseu, C Leonelli, DS Perera | Geopolymers Sintering by Optical Dilatometry | 2009 | https://ceramics.onlinelibrary.wiley.com/doi/abs/10.1002/9780470599730.ch10 |
| 282 | ..., C Leonelli, M Macchiarola, A Corradi, E Kamseu... | Il vetro nel mosaico pompeiano. Studio archeologico ed archeometrico con riproduzione sperimentale | 2009 | |
| 283 | E Kamseu, C Leonelli, DS Perera, UC Melo... | Investigation of volcanic ash based geopolymers as potential building materials | 2009 | https://iris.unimore.it/handle/11380/1107535 |
| 284 | E Kamseu, S Braccini, A Corradi... | Microstructural evolution during thermal treatment of three kaolinitic clays from Cameroon | 2009 | https://www.tandfonline.com/doi/abs/10.1179/174367609X413928 |

| | | | | |
|-----|---|--|------|---|
| 285 | N Billong, UC Melo, F Louvet, D Njopwouo | Properties of compressed lateritic soil stabilized with a burnt clay–lime binder: effect of mixture components | 2009 | https://www.sciencedirect.com/science/article/pii/S0950061808002900 |
| 286 | E Kamseu, A Rizzuti, P Miselli, P Veronesi... | Use of noncontact dilatometry for the assessment of the sintering kinetics during mullitization of three kaolinitic clays from Cameroon | 2009 | https://akjournals.com/view/journals/10973/98/3/article-p757.xml |
| 287 | C Leonelli, E Kamseu, VM Sglavo | Bi-axial four points flexural and compressive strength of geopolymer materials based Na ₂ O-K ₂ O-Al ₂ O ₃ -SiO ₂ systems | 2008 | https://iris.unimore.it/handle/11380/1208608 |
| 288 | AB Tchamba, R Yongue, UC Melo... | Caractérisation de la bauxite de Haléo-Danielle (Minim-Martap, Cameroun) en vue de son utilisation industrielle dans les matériaux à haute teneur en ... | 2008 | https://pascal-francis.inist.fr/vibad/index.php?action=getRecordDetail&idt=20612544 |
| 289 | N BILLONG, U CHINJE MELO... | Effet du Trona sur les Propriétés Hydrauliques d'un Ciment Portland Composé | 2008 | https://pascal-francis.inist.fr/vibad/index.php?action=getRecordDetail&idt=20238221 |
| 290 | C Leonelli, E Kamseu, UC Melo, A Corradi... | Mullitization behaviour during thermal treatment of three kaolinitic clays from Cameroon: Densification, sintering kinetics and microstructure | 2008 | https://iris.unimore.it/handle/11380/1208144 |
| 291 | DN Boccaccini, E Kamseu... | Prediction of Service Life of Cordierite-Mullite Refractory Materials by Non-Destructive Methods | 2008 | https://aip.scitation.org/doi/abs/10.1063/1.2896820 |
| 292 | CN Djangang, A Elimbi, UC Melo, GL Lecomte... | Refractory ceramics from clays of Mayouom and Mvan in Cameroon | 2008 | https://www.sciencedirect.com/science/article/pii/S0169131707000907 |
| 293 | DN Boccaccini, M Cannio, TD Volkov-Husoviae... | Service life prediction for refractory materials | 2008 | https://link.springer.com/article/10.1007/s10853-007-2315-1 |
| 294 | E Kamseu, DN Boccaccini, A Sola... | Sintering behaviour, microstructure and mechanical properties of low quartz content vitrified ceramics using volcanic ash | 2008 | https://www.tandfonline.com/doi/abs/10.1179/174367607X227981 |
| 295 | CN Djangang, A Elimbi, UC Melo, GL Lecomte... | Sintering of clay-chamotte ceramic composites for refractory bricks | 2008 | https://www.sciencedirect.com/science/article/pii/S0272884207000685 |
| 296 | E Kamseu, C Leonelli, VM Sglavo | Thermal behaviour of geopolymer materials: Influence of temperature on mineralogical composition and microstructure of sodium-potassium polysialates | 2008 | https://iris.unimore.it/handle/11380/1248641 |
| 297 | E Kamseu, C Leonelli, VM Sglavo, DN Boccaccini... | Bending strength and elastic modulus of porcelain compositions under various specimen loading configurations | 2007 | https://pascal-francis.inist.fr/vibad/index.php?action=getRecordDetail&idt=19691408 |
| 298 | CN Djangang, A Elimbi, UC Melo... | Caratteristiche e proprietà ceramiche (1200-1500° C) di argille provenienti dal deposito di Mayouom (zona ovest del Cameroun) | 2007 | |

| | | | | |
|-----|--|--|------|---|
| 299 | E Kamseu, C Leonelli, DN Boccaccini, P Veronesi... | Characterisation of porcelain compositions using two china clays from Cameroon | 2007 | https://www.sciencedirect.com/science/article/pii/S0272884206000769 |
| 300 | CN Djangang, A Elimbi, UC Melo... | Characteristics and ceramic properties of clays from Mayoum deposit (West Cameroon) | 2007 | https://pascal-francis.inist.fr/vibad/index.php?action=getRecordDetail&idt=19164117 |
| 301 | DN Boccaccini, E Kamseu, TD Volkov Husovic... | Characterization of thermal shock damage in cordierite-mullite refractory materials by non-destructive methods. | 2007 | https://iris.unimore.it/handle/11380/592277 |
| 302 | DN Boccaccini, M Romagnoli, E Kamseu... | Determination of thermal shock resistance in refractory materials by ultrasonic pulse velocity measurement | 2007 | https://www.sciencedirect.com/science/article/pii/S0955221906003177 |
| 303 | E Kamseu, C Leonelli, D Boccaccini | Non-contact dilatometry of hard and soft porcelain compositions: Relationship between thermal expansion behaviour and microstructure | 2007 | https://akjournals.com/view/journals/10973/88/2/article-p571.xml |
| 304 | C Leonelli, E Kamseu, DN Boccaccini... | Volcanic ash as alternative raw materials for traditional vitrified ceramic products | 2007 | https://www.tandfonline.com/doi/abs/10.1179/174367607X159329 |
| 305 | C Leonelli, M Romagnoli, E Kamseu... | Evaluation of thermal shock damage in refractory materials by ultrasonic pulse velocity testing | 2006 | https://iris.unimore.it/handle/11380/466994 |
| 306 | U Chinjemelo, N Billong | ACTIVITE POUZZOLANIQUE DES DECHETS DE BRIQUESET TUILES CUITES | 2004 | https://www.ajol.info/index.php/ajst/article/view/15323 |
| 307 | NP Lemougna | Contribution à la diminution des casses dans la production des briques de terre cuite à la PROMOBAT | 2004 | |
| 308 | UF Chinje Melo, E Kamseu... | Effect of fluxes on the fired properties between 950-1050 C of some Cameroonian clays | 2003 | https://pascal-francis.inist.fr/vibad/index.php?action=getRecordDetail&idt=15368646 |